

A cyclist wearing a white t-shirt and black shorts is riding a blue Orbea mountain bike on a dirt trail in a forest. The bike has a blue frame, black handlebars, and black tires. The cyclist is leaning forward, and the background shows a dense forest of tall, thin trees.





2025 Range


01Z

ORBEA

OIZ OMX

ALTEZZA (cm)	ALTEZZA (in)	TAGLIA
155-170	61.1"-66.9"	S
165-180	65.0"-70.9"	M
178-190	70.1"-74.8"	L
185-198	72.8"-78.0"	XL

-  MyO
CM
-  Cobalt blue (Gloss) - Carbon Raw (matt)
KT
-  Diamond carbon view (matt) - Cherry red (gloss)
KU
-  Oft forest green - green mint (gloss)
UM



Taglia	S	M	L	XL
1 - Tubo del sedile (C-T)	405	432	460	510
2 - Tubo orizzontale (EFF)	575	598	623	650
3 - Tubo frontale	90	90	100	115
4 - Fodero orizzontale	432	432	432	432
5 - Altezza dell'asse pedaliera	333	333	333	333
6 - Caduta dell'asse pedaliera	42	42	42	42
7 - Distanza tra gli assi	1138	1163	1189	1219
8 - Angolo frontale	67°	67°	67°	67°
9 - Angolo della sella	76.5°	76.5°	76.5°	76.5°
10 - Altezza base	731	741	741	750
11 - Lunghezza del telaio	425	450	472	496
12 - Altezza del telaio	596	596	606	619
13 - Lunghezza della forcella	531	531	531	531
14 - Rake	44	44	44	44

OIZ M-LTD

Ref. S244

Taglia	Pedivella	Attacco	Manubrio	Reggisella Telescopico
S	170	75	760	380/100
M	170	75	760	380/100
L	175	75	760	430/100
XL	175	90	760	430/100



MyO
CM



Diamond carbon view (matt) - Cherry red (gloss)
KU



Cobalt blue (Gloss) - Carbon Raw (matt)
KT



Oft forest green - green mint (gloss)
UM

€	\$	£
10499	10999	11099

Telaio	Orbea Oiz Carbon OMX, Fiberlink, Boost, BSA, SIC, UFO, I-line shock
Ammortizzatore	Fox Float SL Factory 120mm Remote Push-lock Evol Kashima custom tune 190x45mm
<i>Op.</i>	<i>Fox Float SL Factory 120mm Remote Push-lock Evol Kashima cus</i>
Forcella	Fox 34 Float SC Factory 120 FIT4 Remote-Adj Push to Lock QR15x110 Kashima
<i>Op.</i>	<i>Fox 34 Float SC Factory 120 FIT4 Remote PTL QR15x110 Kashima</i> <i>Sram Flight Attendant SID Ultimate 120mm+190x45mm+XX SL PM</i>
Blocco remoto	OC Squidlock MP11, Suspension + Dropper
Guarnitura	Sram XX SL Eagle Dub Black 34t
Serie sterzo	Alloy 1-1/2", Black Oxidated Bearing
Manubrio	OC Mountain Performance MP10 Carbon Cockpit, Bar Width 760
<i>Op.</i>	<i>OC Mountain Performance MP10 Carbon Cockpit, Bar Width 760</i> <i>OC MC10 CB SL, Rise 20, 800mm (bar) + MC11, 0, 40mm (stem)</i> <i>OC MC10 CB SL, Rise 20, 800mm (bar) + MC11, 0, 50mm (stem)</i>
Computer Mount	SH-MP10 specific
Leve	Sram AXS Pod Ultimate
Freni	Sram Level Ultimate Carbon 2 piston Hydraulic Disc
Cambio	Sram XX Eagle SL AXS



Catena	Sram XX-SL Eagle 12-Speed
Ruote	Oquo Mountain Performance MP30LTD
<i>Op.</i>	<i>Oquo Mountain Performance MP30LTD</i>
Pignoni	Sram XX-1299 Eagle SL 10-52t 12-Speed
Bloqueo anteriore	Fox Kabolt Boost
Pneumatico	Maxxis Rekon Race 2.40" WT 120 TPI Exo TLR
<i>Op.</i>	<i>Schwalbe Wicked Will Evo TLE, 2.40 Speed Grip, Addix, Brown</i>
Reggisella	Fox Transfer SL Factory Kashima Dropper 31.6
<i>Op.</i>	<i>Fox Transfer SL Factory Kashima Dropper 31.6x455/125mm</i> <i>Fox Transfer SL Factory Kashima Dropper 31.6x480/150mm</i> <i>Fox Transfer SL Factory Kashima Dropper 31.6x380/100mm</i> <i>Fox Transfer SL Factory Kashima Dropper XL 31.6x430/100mm</i>
Sella	Selle Italia SLR Boost Fill Carbon Rail 7x9 mm

OIZ M-TEAM FACTORY

Ref. S243

Taglia	Pedivella	Attacco	Manubrio	Reggisella Telescopico
S	170	60	760	380/100
M	170	75	760	380/100
L	175	75	760	430/100
XL	175	90	760	430/100



MyO
CM



Diamond carbon view (matt) - Cherry red (gloss)
KU



Cobalt blue (Gloss) - Carbon Raw (matt)
KT



Oft forest green - green mint (gloss)
UM



€	\$	£
8299	8599	8799

Telaio	Orbea Oiz Carbon OMX, Fiberlink, Boost, BSA, SIC, UFO, I-line shock
Ammortizzatore	Fox Float SL Factory 120mm Remote Push-lock Evol Kashima custom tune 190x45mm
Forcella	Fox 34 Float SC Factory 120 FIT4 Remote-Adj Push to Lock QR15x110 Kashima
Blocco remoto	OC Squidlock MP11, Suspension + Dropper
Guarnitura	Shimano XTR M9120 34t
<i>Op.</i>	Shimano XTR MT9120 34T w/right side 4iiii Powermeter POD300
Serie sterzo	Alloy 1-1/2", Black Oxidated Bearing
<i>Op.</i>	Low Stack Headset Cup
Manubrio	OC MP10 Mountain Performance Carbon, Width 760, Sweep 9
<i>Op.</i>	OC MC10 CB SL, Rise 20, 800mm (bar) + MC11, 0, 40mm (stem)
<i>Op.</i>	OC MC10 CB SL, Rise 20, 800mm (bar) + MC11, 0, 50mm (stem)
Attacco	OC Mountain Performance MP10 Alu SL, -10
Leve	Shimano XTR M9100
Freni	Shimano XTR M9100 Hydraulic Disc
Cambio	Shimano XTR M9100 SGS Shadow Plus
Catena	Shimano CN-9100
Ruote	Oquo Mountain Performance MP30LTD

Pignoni	Shimano XTR M9100 10-51t 12-Speed
Bloqueo anteriore	Fox Kabolt Boost
Pneumatico	Maxxis Rekon Race 2.40" WT 120 TPI Exo TLR
<i>Op.</i>	Schwalbe Wicked Will Evo TLE, 2.40 Speed Grip, Addix, Brown
Reggisella	Fox Transfer SL Factory Kashima Dropper 31.6
<i>Op.</i>	Fox Transfer SL Factory Kashima Dropper 31.6x455/125mm
<i>Op.</i>	Fox Transfer SL Factory Kashima Dropper 31.6x480/150mm
<i>Op.</i>	Fox Transfer SL Factory Kashima Dropper 31.6x380/100mm
<i>Op.</i>	Fox Transfer SL Factory Kashima Dropper XL 31.6x430/100mm
Sella	Selle Italia SLR Boost Fill Titanium Rail 316 7 mm
<i>Op.</i>	Women Kit: OC Grips 29mm & Selle Italia SLR Boost SuperFlow
<i>Op.</i>	Selle Italia SLR Boost Fill Carbon Rail 7x9 mm

OIZ M-TEAM AXS

Ref. S242

Taglia	Pedivella	Attacco	Manubrio	Reggisella Telescopico
S	170	75	760	390/100
M	170	75	760	390/100
L	175	75	760	390/100
XL	175	90	760	390/100



MyO
CM



Diamond carbon view (matt) - Cherry red (gloss)
KU



Cobalt blue (Gloss) - Carbon Raw (matt)
KT



Oft forest green - green mint (gloss)
UM

€	\$	£
7299	7599	7799

Telaio	Orbea Oiz Carbon OMX, Fiberlink, Boost, BSA, SIC, UFO, I-line shock
Ammortizzatore	Fox Float SL Factory 120mm Remote Push-lock Evol Kashima custom tune 190x45mm
Forcella	Fox 34 Float SC Factory 120 FIT4 Remote-Adj Push to Lock QR15x110 Kashima
<i>Op.</i>	<i>Sram Flight Attendant SID Ultimate 120mm+190x45mm+X0 PM</i>
Blocco remoto	OC Squidlock MP11, Suspension + Dropper
Guarnitura	Sram X0 Eagle Dub Black 34t
Serie sterzo	Alloy 1-1/2", Black Oxidated Bearing
Manubrio	OC Mountain Performance MP10 Carbon Cockpit, Bar Width 760
<i>Op.</i>	<i>OC MC10 CB SL, Rise 20, 800mm (bar) + MC11, 0, 40mm (stem)</i> <i>OC MC10 CB SL, Rise 20, 800mm (bar) + MC11, 0, 50mm (stem)</i>
Computer Mount	SH-MP10 specific
Leve	Sram AXS Pod
Freni	Sram Level Silver 2 piston Hydraulic Disc
<i>Op.</i>	<i>Shimano XTR M9100 Hydraulic Disc</i>
Cambio	Sram X0 Eagle AXS
Catena	Sram GX Eagle 12-Speed
Ruote	Oquo Mountain Performance MP30TEAM



<i>Op.</i>	<i>Oquo Mountain Performance MP30LTD</i>
Pignoni	Sram GX-1275 Eagle 10-52t 12-Speed
Pneumatico	Maxxis Rekon Race 2.40" WT 120 TPI Exo TLR
<i>Op.</i>	<i>Schwalbe Wicked Will Evo TLE, 2.40 Speed Grip, Addix, Brown</i>
Reggisella	OC Mountain Performance DP-MP10, 31.6mm, Dropper
	<i>Fox Transfer SL Factory Kashima Dropper 31.6x455/125mm</i>
<i>Op.</i>	<i>Fox Transfer SL Factory Kashima Dropper 31.6x480/150mm</i> <i>Fox Transfer SL Factory Kashima Dropper 31.6x380/100mm</i> <i>Fox Transfer SL Factory Kashima Dropper XL 31.6x430/100mm</i>
Sella	Selle Italia SLR Boost Fill Titanium Rail 316 7 mm
<i>Op.</i>	<i>Women Kit: OC Grips 29mm & Selle Italia SLR Boost SuperFlow</i> <i>Selle Italia SLR Boost Fill Carbon Rail 7x9 mm</i>

OIZ M-PRO

Ref. S241

Taglia	Pedivella	Attacco	Manubrio	Reggisella Telescopico
S	170	60	760	390/100
M	170	75	760	390/100
L	175	75	760	390/100
XL	175	90	760	390/100



MyO
CM



Diamond carbon view (matt) - Cherry red (gloss)
KU



Cobalt blue (Gloss) - Carbon Raw (matt)
KT



Oft forest green - green mint (gloss)
UM



€	\$	£
6299	6599	6699


Telaio	Orbea Oiz Carbon OMX, Fiberlink, Boost, BSA, SIC, UFO, I-line shock
Ammortizzatore	Fox Float SL Factory 120mm Remote Push-lock Evol Kashima custom tune 190x45mm
Forcella	Fox 34 Float SC Factory 120 FIT4 Remote-Adj Push to Lock QR15x110 Kashima
Blocco remoto	OC Squidlock MP11, Suspension + Dropper
Guarnitura	Shimano XT M8120 32t
<i>Op.</i>	Shimano XT MT8120 32T w/right side 4iiii Powermeter POD300
Serie sterzo	Alloy 1-1/2", Black Oxidated Bearing
<i>Op.</i>	Low Stack Headset Cup
Manubrio	OC MP10 Mountain Performance Carbon, Width 760, Sweep 9
<i>Op.</i>	OC MC10 CB SL, Rise 20, 800mm (bar) + MC11, 0, 40mm (stem)
<i>Op.</i>	OC MC10 CB SL, Rise 20, 800mm (bar) + MC11, 0, 50mm (stem)
Attacco	OC Mountain Performance MP10 Alu SL, -10
Leve	Shimano XT M8100 I-Spec EV
Freni	Shimano XT M8100 Hydraulic Disc
<i>Op.</i>	Shimano XTR M9100 Hydraulic Disc
Cambio	Shimano XT M8100 SGS Shadow Plus
Catena	Shimano M8100

Ruote	Oquo Mountain Performance MP30TEAM
<i>Op.</i>	Oquo Mountain Performance MP30LTD
Pignoni	Shimano CS-M8100 10-51t 12-Speed
Pneumatico	Maxxis Rekon Race 2.40" WT 120 TPI Exo TLR
<i>Op.</i>	Schwalbe Wicked Will Evo TLE, 2.40 Speed Grip, Addix, Brown
Reggisella	OC Mountain Performance DP-MP10, 31.6mm, Dropper
	Fox Transfer SL Factory Kashima Dropper 31.6x455/125mm
<i>Op.</i>	Fox Transfer SL Factory Kashima Dropper 31.6x480/150mm
	Fox Transfer SL Factory Kashima Dropper 31.6x380/100mm
	Fox Transfer SL Factory Kashima Dropper XL 31.6x430/100mm
Sella	Selle Italia SLR Boost Fill Titanium Rail 316 7 mm
<i>Op.</i>	Women Kit: OC Grips 29mm & Selle Italia SLR Boost SuperFlow
	Selle Italia SLR Boost Fill Carbon Rail 7x9 mm

OIZ OMR

ALTEZZA (cm)	ALTEZZA (in)	TAGLIA
155-170	61.1"-66.9"	S
165-180	65.0"-70.9"	M
178-190	70.1"-74.8"	L
185-198	72.8"-78.0"	XL

- Ivory white (gloss) - bumblebee yellow (matt)
KR
- Diamond carbon view (matt-gloss)
KV
- Seaweed eaweed carbon view (gloss) - spaceship green (matt)
KS



Taglia	S	M	L	XL
1 - Tubo del sedile (C-T)	405	432	460	510
2 - Tubo orizzontale (EFF)	575	598	623	650
3 - Tubo frontale	90	90	100	115
4 - Fodero orizzontale	432	432	432	432
5 - Altezza dell'asse pedaliera	333	333	333	333
6 - Caduta dell'asse pedaliera	42	42	42	42
7 - Distanza tra gli assi	1138	1163	1189	1219
8 - Angolo frontale	67°	67°	67°	67°
9 - Angolo della sella	76.5°	76.5°	76.5°	76.5°
10 - Altezza base	731	741	741	750
11 - Lunghezza del telaio	425	450	472	496
12 - Altezza del telaio	596	596	606	619
13 - Lunghezza della forcella	531	531	531	531
14 - Rake	44	44	44	44

OIZ M10 AXS

Ref. S238

Taglia	Pedivella	Attacco	Manubrio	Reggisella Telescopica
S	170	60	760	408/125
M	170	75	760	408/125
L	175	75	760	458/150
XL	175	90	760	458/150



Ivory white (gloss) - bumblebee yellow (matt)
KR



Diamond carbon view (matt-gloss)
KV



Seaweed carbon view (gloss) - spaceship green (matt)
KS



€	\$	£
6099	6299	6299

Telaio	Orbea Oiz Carbon OMR, Fiberlink, Boost, BSA, SIC, UFO, I-line shock
Ammortizzatore	Fox Float SL Factory 120mm Remote Push-lock Evol Kashima custom tune 190x45mm
Forcella	Fox 34 Float SC Factory 120 FIT4 Remote-Adj Push to Lock QR15x110 Kashima
Blocco remoto	OC Squidlock MP11, Suspension + Dropper
Guarnitura	Sram GX Eagle Dub 32t
Serie sterzo	Alloy 1-1/2", Black Oxidated Bearing
<i>Op.</i>	<i>Low Stack Headset Cup</i>
Manubrio	OC MP10 Mountain Performance Carbon, Width 760, Sweep 9 <i>OC MC10 CB SL, Rise 20, 800mm (bar) + MC11, 0, 40mm (stem)</i>
<i>Op.</i>	<i>OC MC10 CB SL, Rise 20, 800mm (bar) + MC11, 0, 50mm (stem)</i> <i>OC Mountain Performance MP10 Carbon Cockpit, Bar Width 760</i>
Impugnatura	OC Lock On
Attacco	OC Mountain Performance MP21, -6
Leve	Sram AXS Pod
Freni	Shimano XT M8100 Hydraulic Disc
Cambio	Sram GX Eagle AXS
Catena	Sram GX Eagle 12-Speed

Ruote	Oquo Mountain Performance MP30TEAM
Pignoni	Sram GX-1275 Eagle 10-52t 12-Speed
Pneumatico	Maxxis Rekon Race 2.40" WT 120 TPI Exo TLR
<i>Op.</i>	<i>Schwalbe Wicked Will Evo TLE, 2.40 Speed Grip, Addix, Brown</i>
Reggisella	OC Mountain Control MC22, 31.6mm, Dropper <i>OC Mountain Control MC22, 31.6mm, Dropper, Travel 125mm</i>
<i>Op.</i>	<i>OC Mountain Control MC22, 31.6mm, Dropper, Travel 150mm</i> <i>OC Mountain Control MC22, 31.6mm, Dropper, Travel 170mm</i>
Sella	Fizik Vento Argo X5 Alluminium 140mm
<i>Op.</i>	<i>Women Kit: OC Grips 29mm & Selle Italia SLR Boost SuperFlow</i>

OIZ M10

Ref. S237

Taglia	Pedivella	Attacco	Manubrio	Reggisella Telescopico
S	170	60	760	408/125
M	175	75	760	408/125
L	175	75	760	408/150
XL	175	90	760	408/150



Ivory white (gloss) - bumblebee yellow (matt)
KR



Diamond carbon view (matt-gloss)
KV



Seaweed carbon view (gloss) - spaceship green (matt)
KS



€	\$	£
5699	5999	5999

Telaio	Orbea Oiz Carbon OMR, Fiberlink, Boost, BSA, SIC, UFO, I-line shock
Ammortizzatore	Fox Float SL Factory 120mm Remote Push-lock Evol Kashima custom tune 190x45mm
Forcella	Fox 34 Float SC Factory 120 FIT4 Remote-Adj Push to Lock QR15x110 Kashima
Blocco remoto	OC Squidlock MP11, Suspension + Dropper
Guarnitura	Shimano XT M8120 32t
<i>Op.</i>	Shimano XT MT8120 32T w/right side 4iiii Powermeter POD300
Serie sterzo	Alloy 1-1/2", Black Oxidated Bearing
<i>Op.</i>	Low Stack Headset Cup
Manubrio	OC MP10 Mountain Performance Carbon, Width 760, Sweep 9
<i>Op.</i>	OC MC10 CB SL, Rise 20, 800mm (bar) + MC11, 0, 40mm (stem)
<i>Op.</i>	OC MC10 CB SL, Rise 20, 800mm (bar) + MC11, 0, 50mm (stem)
Impugnatura	OC Lock On
Attacco	OC Mountain Performance MP21, -6
Leve	Shimano XT M8100 I-Spec EV
Freni	Shimano XT M8100 Hydraulic Disc
Cambio	Shimano XT M8100 SGS Shadow Plus
Catena	Shimano M7100

Ruote	Oquo Mountain Performance MP30TEAM
Pignoni	Shimano CS-M8100 10-51t 12-Speed
Pneumatico	Maxxis Rekon Race 2.40" WT 120 TPI Exo TLR
<i>Op.</i>	Schwalbe Wicked Will Evo TLE, 2.40 Speed Grip, Addix, Brown
Reggisella	OC Mountain Control MC22, 31.6mm, Dropper
<i>Op.</i>	OC Mountain Control MC22, 31.6mm, Dropper, Travel 125mm
<i>Op.</i>	OC Mountain Control MC22, 31.6mm, Dropper, Travel 150mm
<i>Op.</i>	OC Mountain Control MC22, 31.6mm, Dropper, Travel 170mm
Sella	Fizik Vento Argo X5 Alluminium 140mm
<i>Op.</i>	Women Kit: OC Grips 29mm & Selle Italia SLR Boost SuperFlow

OIZ M21

Ref. S236

Taglia	Pedivella	Attacco	Manubrio	Reggisella Telescopica
S	170	60	760	408/125
M	175	75	760	408/125
L	175	75	760	408/150
XL	175	90	760	408/150



Ivory white (gloss) - bumblebee yellow (matt)
KR



Diamond carbon view (matt-gloss)
KV



Seaweed carbon view (gloss) - spaceship green (matt)
KS



€	\$	£
4599	4999	4999

Telaio	Orbea Oiz Carbon OMR, Fiberlink, Boost, BSA, SIC, UFO, I-line shock
Ammortizzatore	RockShox SID Luxe Select+ 3 position 120mm 190x45mm
Forcella	RockShox SID Select 120 DebonAir+ RL 3-Position QR15X110 Boost
Blocco remoto	OC Squidlock MP11, Suspension + Dropper
Guarnitura	Sram GX Eagle Dub Lunar Boost 32t
Serie sterzo	Alloy 1-1/2", Black Oxidated Bearing
<i>Op.</i>	<i>Low Stack Headset Cup</i>
Manubrio	OC Mountain Performance MP30, Width 760
<i>Op.</i>	<i>OC MC20 Alu SL, Rise 20, 800mm (bar) + MC20, 0, 40mm (stem)</i>
<i>Op.</i>	<i>OC MC20 Alu SL, Rise 20, 800mm (bar) + MC20, 0, 50mm (stem)</i>
Impugnatura	OC Lock On
Attacco	OC Mountain Performance MP21, -6
Leve	Sram GX Eagle Lunar
Freni	Shimano M6100 Hydraulic Disc
<i>Op.</i>	<i>Shimano XT M8100 Hydraulic Disc</i>
Cambio	Sram GX Eagle Lunar
Catena	Sram GX Eagle 12-Speed
Ruote	Oquo Mountain Performance MP28PRO

Pignoni	Sram XG-1275 Eagle 10-52t 12-Speed
Pneumatico	Maxxis Rekon Race 2.40" WT 120 TPI Exo TLR
<i>Op.</i>	<i>Schwalbe Wicked Will Evo TLE, 2.40 Speed Grip, Addix, Brown</i>
Reggisella	OC Mountain Control MC22, 31.6mm, Dropper
<i>Op.</i>	<i>OC Mountain Control MC22, 31.6mm, Dropper, Travel 125mm</i>
<i>Op.</i>	<i>OC Mountain Control MC22, 31.6mm, Dropper, Travel 150mm</i>
<i>Op.</i>	<i>OC Mountain Control MC22, 31.6mm, Dropper, Travel 170mm</i>
Sella	Fizik Vento Argo X5 Alluminium 140mm
<i>Op.</i>	<i>Women Kit: OC Grips 29mm & Selle Italia SLR Boost SuperFlow</i>

ORBEA